



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX.

*** The more important classified entries will be found under the following heads: *Diseases, Geographical Distribution, Hosts, Journals, Necrology, Personals, Reviews.*

*** Names of synonyms are printed in *Italics*; names of new species in **bold-face**; † signifies death.

A

A. A. A. S., Washington meeting, 157; botanical papers, 243, 255, 282, 303; Botanical club, 261.
Abelmoschus moschatus, 139.
 Absorption of fluids, 260.
Acer dasycarpum, 233; *rubrum*, 233.
Achlya, 72, 73; *polyandra*, 72.
achroanthos, 322.
Actinella linearifolia, 28; *odorata*, 27; *Rusbyi*, 27; **Texana**, 27.
Æcidium Chrysopsidis, 48, 85; *Cleomis*, 48; *Liatridis*, 47, 85; *Trifolium-repentis*, 290.
 Africa, biological expedition to, 273.
Agave rigida, 131.
Agoseris, 322.
 Agricultural, Department, division of botany, 92, 259; division of forestry, 188; Science, Society for promotion of, 35.
Agrimonia parviflora, var. **macrocarpa**, 3.
Agrostis, *alpina*, 288; *geminata*, 288.
 Alabama, plants of, 61, 263, 282, 313.
Aleuria asterigma, 15.
Aleurites triloba, 141.
Aleurone grains, method of preparation, 93.
Allium Nevii, 288.
Alopecurus geniculatus, 288.
Alternaria, 62.
Amelanchier alnifolia, 266.
Amphiachyris dracunculoides, 148.
Anacardium occidentale, 140.
Anachoropteris Decaisnei, 172.
Ananassa sativa, 131.
Andromeda polifolia, 230.
Andropogon macrourus, var. **pumilus**, 27.
Aneura, 324.
Angelica Lyallii, 287.
Anguria diversifolia, 10; *longipedunculata*, 10; **oblongifolia**, 9.
Anona Cherimolia, 137; *reticulata*, 137; *squamosa*, 137.
Antennaria luzuloides, 287.
Anthoceros, 324; *laevis*, 143.
Aphanostephus Pinnulensis, 98.
Apios tuberosa, 233.
Aplopappus Lyallii, 287; *stoloniferus* var. **glabratus**, 98.
Apocynum cannabinum, 70.
Apodanthes Blanchetti, 84; **globosa**, 83; **Pringlei**, 83.
 Apple leaves, fungus disease on, 265.
 Aquatic monocots, leaves of, 305.
Aquilegia Canadensis, 229.
Arabis Drummondii, 229; *Macounii*, 286.
Aralia quinquefolia, 232.
Arboretum, a national, 262.
Archangelica atropurpurea, 231.
Archegoniata, phylogeny of, 257, 323.

Arctostaphylos pungens, var. **cratericola**, 13; *Uva-Ursi*, 232.
Arenaria tenella, 286.
Arethusa bulbosa, 230.
Arisæma triphyllum, 164.
Arnica cordifolia, 287; *latifolia*, 287; *Parryi*, 287.
 Arrow-weeds of Mexico, 262.
Artocarpus incisa, 139; *integrifolia*, 139.
Arundo, 135.
Asarum caudatum, 287.
Aspidium adscendens, 14; *fragrans*, 111.
 Assimilation, simultaneous evolution of O and CO₂, 273.
Aster, **Oreuttii**, 113; *pauciflorus*, 148; *stenomeris*, 287.
Asterella, 325; *hemispherica*, 142.
Asterophyllites Williamsoni, 173.
Astragalus alpinus, 229.
Atrichum angustatum, 206; *Selwyni*, 206; *undulatum*, 206.
Atriplex corrugata, 345.
 Australian A. A. S., 93.
Averrhoa Bilimbi, 140.
Ayenia Wrightii, 340.

B

Bacteria, of cucurbits, 257; 303; test for excretion of acids, 320.
 Bacterial disease of cabbages, 265; of oats, 257.
 Bacteriology, use of fermentation tube in, 259.
Barbula megalocarpa, 206; *ruralis*, 206.
Baryeidamia parasitica, 263.
Bassovia Donnell-Smithii, 145; *macrophylla*, 145; *Mexicana*, 145.
 Beans, tubercles on roots, 158.
Besleria onogastra, 197; **Pansamalana**, 197.
 Bicollateral bundles, 308.
Bidens Antiguensis, 100; *connata*, 148; *heterosperma*, 100; *leucantha*, 100.
 Biology, use of word, 32, 89.
Bixa orellana, 140.
Blighia sapida, 138.
Bocconia integrifolia, 1; **vulcanica**, 1.
 Botanical Division, 92; field work of, 259.
Botrychium, apical growth in roots, 37; *simplex*, 230.
Bouteloua uniflora, 26.
Bowmannites Dawsoni, 175.
Brachistus Escuintlensis, 144.
Brasenia peltata, 230.
 Brazil, Agricultural College, 274.
Bremia Lactuce, 339.
Brickellia Hartwegi, 98; **Pacayensis**, 98.
Bromelia Pinguin, 35.
Bruchia Hallii, 207.
 Bryophytes, relationships of, 323.
Buddleia Wrightii, 341.

C

- Cabbages, bacterial disease of, 265.
 Cajanus Indicus, 140.
 Calamagrostis densus, 147; *kœlerioides*, 147.
 Calamarias, 174.
 Calamostachys Binneyana, 173.
 Calla palustris, 231.
 Callæolepium Warszewiczii, 196.
 Calopogon pulchellus, 230.
 Caltha palustris, 231.
 Calypso borealis, 230, 241, 296.
 Calystegia sepium, 233.
 Camelia sativa, 233.
 Campanula Americana, 70; *aparinoides*, 233; *rotundifolia*, 112.
 Campbell, D. H., appointment, 156.
 Camptosorus rhizophyllus, 112.
 Canbya, 160.
 Carphoxera ptelearia, a new herbarium pest, 263, 334.
 Cardamine bellidifolia, 286.
 Carex chordorhiza, 230; Houghtonii, 229; irrigua, 231; lacustris, 230; marcida, 288; pauciflora, 230; rostrata, 230; Tolmiei, 288.
 Carica Papaya, 138.
 Carmen Island, flora of 258.
 Cassandra calyculata, 230, 232.
 Casuarina equisetifolia, 133.
 Ceanothus, tubercles on roots, 262.
 Cecropia peltata, 137.
 Celastrus scandens, 231.
 Cephaelis dichotoma, 12; *glomerulata*, 12.
 Cephalanthus occidentalis, 65.
 Cercospora Bolleana, 289; Gossypina, 62, 64.
 Cereus grandiflorus, 135; Sargentianus, 320; Swartzii, 135.
 Characeæ, relationships of, 323.
 Cherry, destructive disease of, 266.
 Chorisia soluta, 1.
 Chrysophyllum Cainito, 140.
 Citharexylum Cinaloanum, 342.
 Citrus decumana, germination of, 179.
 Cladonia rangiferina, 112.
 Cladosporium, 266; fulvum, treatment of, 265.
 Claytonia cordifolia, 286.
 Cleistogamy in Polygonum, 273, 314.
 Clematis verticillaris, 231; Virginiana, 231.
 Clibadium arboreum, 99; *Donnell-Smithii*, 98; Surinamense, 99.
 Clidemia *Donnell-Smithii*, 5; *laxiflora* var. *longipetiolata*, 5.
 Clubs, botanical, in California, 296; in Canada, 297.
 Coleochaete, 324.
 Cnicus arvensis, 157.
 Coccoloba uvifera, 136.
 Cocos nucifera, 131.
 Cœmansia spiralis, 201.
 Coix lachryma, 136.
 Coleosporium Viburni, 226.
 Collecting, better specimens, 187.
 Colletotrichum Gossypii, 62, 289.
 Colocasia esculenta, 139.
 Columbian Exposition, botanical exhibit at, 264.
 Compositæ of Colima, 258; of Guatemala, 95.
 Coniotherium ilicinum, 46.
 Conocephalus conicus, 143.
 Conostegia hirtella, 4; lasiopoda, 5.
 Continuity of protoplasm in Batrachospermum, 149.
 Corallorhiza innata, 232; multiflora, 232.
 Cordyceps unilateralis, 203.
 Cornus Baileyi, 118; pubescens, 118, 287; stolonifera, 118.

- Corydalis glauca, 231.
 Coscinodon Raui, 207.
 Cotton, black rust of, 61; fungus diseases of, 265.
 Coulter, J. M., appointment, 156.
 Coursetia axillaris, 180, 217.
 Crepis runcinata, 287.
 Crescentia Cujete, 140.
 Croton capitatum, 149.
 Cryptotaenia Canadensis, 299.
 Currant canes, a new disease of, 262.
 Cucurbits, bacteria of, 257, 303.
 Cupressinoxylon, 91.
 Cyathea arborea, 133.
 Cyperus Engelmanni, 128.
 Cypridium acaule, 241; arietinum, 241; specabile, 232.
 Cystopteris fragilis, 111.
 Cystopus candidus, 340; Ipomœæ-panduratae, 340; Portulacæ, 340.

D

- Daisy, monstrous form of, 150.
 Dalechampia scandens, var. *trisecta*, 199.
 Daphnopsis *Tuerckheimiana*, 13.
 Darkness, influence on form, 343.
 Delphinium simplex, 285.
 Desmidiæ of Brazil, 158.
Desmidiospora myrmecophila, 203.
 Deyeuxia Canadensis, 288; *glomerata*, 288.
 Diastase in green leaves, 320.
 Dicranum hyperboreum, 207; palustre, 205; scoparium, 205.
 Dieffenbachia Seguine, 134.
 Dionæa, movement of, 258.
 Dioscorea, 139.
 Diseases: apple leaves, 265; cabbages, 265; cherry, 266; cotton, 61, 265; cucurbits, 257, 303; currant canes, 262; oats, 257; pear blight, 259; sweet potato, 257; tomatoes, 265.
 Distichlis maritima, 275; prostrata, 277; thalassica, 277.
 Dothiorella *Nelumbii*, 46.
 Douglassia arctica, 34.
 Draba nivalis, 286.
 Drosera anglica, 217.
 Dysodia chrysanthemoides, 148.

E

- Economic botany, possibilities of, 255.
 Edraxylon, 174.
 Embryo of Osmunda, 256.
 Encelia cordata, 100; *fætida* 100; *heterophylla*, 100; Mexicana, 100; *subaristata*, 100.
 Entada scandens, 137.
 Entomosporium maculatum, 290.
 Epichloe typhina, 284.
 Epilobium clavatum, 286.
 Epipactis gigantea, 288; helleborine, 287.
 Equisetineæ, relationships of, 323.
 Equisetum, 329.
 Eragrostis *spicata*, 146.
 Erigeron Tweedyana, 237.
 Eriocaulon septangulare, 230.
 Eriodendron anfractuosum, 133.
 Eriogonum niveum, 287.
 Eriogynia caespitosa, 237; *Hendersonii*, 236.
 Eriophorum alpinum, 230.
 Erodium cicutarium, 148.
 Erythræa *Pringleana*, 85.
 Erythronium, 294; mesochoreum, 294.

Eupatorium ageratifolium var. **purpureum**, 98; **azureum**, 96; **ciliatum**, 96; **Donnell-Smithii**, 95; var. **parvifolium**, 96; **lyratum**, 96; **populifolium**, 97; **Rafaelense**, 97; **rigidum**, 98; **Tuerckheimii**, 97.
Euphorbia antiquorum, 135.
Everhartia hymenuloides, 204; **lignatilis**, 204.
 Experiment station botanists, 288; bulletins, 91, 156, 184, 189.

F

Fabronia pusilla, 207.
 Fasciation in *Cnicus*, 236.
 Filicineae, relationships of, 323.
Fimbristemma calycosa, 196; gonoloboides, 196.
 Flowers and insects, 65, 312.
 Fluids, absorption of 260; movement of, 260.
Fomes Ellisianus, 113; *fraxinophilus*, 114.
Fragaria Virginiana, 286.
Frankia, 202.
Fraxinus, 165.

G

Galactia discolor, 194; *Jussiaeana*, 194.
 Gases in plants, 260.
 Geographical Distribution: Alabama, 61, 263, 282, 313; Canada, 285; Carmen Is., 258; Colima, 258; Guatemala, 1, 95, 144, 191; Illinois, 347; Maine, 228; Mexico, 340; Montana, 45; St. Croix, 108, 126; West Indies, 130.
 Geotropism, apparatus to show, 147.
Gnaphalium decurrens, 287.
Gollonema heterophyllum, 267.
Gonatorrhodiella parasitica, 202.
Gonatorrhodum, 202.
 Goodale, G. L., return of, 188.
Goodyera pubescens, 232; repens, 232.
 Gramineae, anatomical characters of, 166, 219, 275.
 Gravity, influence on sleep-movements, 343.
 Guatemala, plants of, 1, 95, 144, 191.
Guilandina Bonducella, 136.
Gurania Donnell-Smithii, 10; *Levyana*, 11.
Gutierrezia Texana, 148.
 Gymnosperms, 174; relationships of, 323.
Gynoxys Hænkei, 102.

H

Habenaria blephariglottis, 230; *Hookeri*, 232; *hyperborea*, 232; *orbiculata*, 232.
Haematoxylon Campechianum, 137.
Halonia, 173.
 Haloragaceae, 294.
Haplotrichum fimetarium, 19; *glomerulosum*, 16; *roseum*, 16.
Helenium nudiflorum, 148; *tenuifolium*, 149.
Helianthus annuus, pollination of, 234; *mollis*, 312.
Helicocephalum sarcophilum, 201.
Heliotium Montaniense, 45.
Hemicarpha subsquarrosa, 128.
Hemizonella Durandi, 287.
Henrya costata, 198; **imbricans**, 198; *scorpioides*, 198.
 Herbarium, new pest of, 263, 334; the Parry, 297. specimens, better, 187, labelling, 33, 267.
 Heredity in plant hybrids, 255.
Heterangium Grievii, 175.
Heterocodon rariflorum, 287.

Heteropteris cotinifolia, 2; **retusa**, 2.
Heuchera Williamsii, 237.
Hibiscus Sabdarifa, 140.
Hippomane mancinella, 141.
 Hoffman, H. J., 350.
 Hosts: *Alyssum*, 339, 340; *Ampelopsis*, 338; *Anemone*, 338; ant., 203; *Arundinaria*, 282; *Cardamine*, 339; *Carex*, 226; *Cassia*, 313; *Chrysopsis*, 48; *Cleome*, 48; cotton, 61; *Cyperus*, 227; *Gentiana*, 227; *Geranium*, 338, 339; *Hypocrea*, 202; *Hypomyces*, 202; *Ipomoea*, 340; *Juniperus*, 184; *Lactuca*, 208; *Liatris*, 48; *Nelumbium*, 46; *Potentilla*, 339, 340; *Quercus*, 297; quince, 184; *Rumex*, 225; service-berry, 184; *Setaria*, 338; *Shepherdia*, 113; *Stipa*, 225; *Tephrosia*, 314; *Viburnum*, 226.
Houstonia purpurea, 113, 229.
Hura crepitans, 133.
 Hybrids, anatomical characters of, 59; heredity in plant, 255.
Hydrastis Canadensis, 73, 122.
Hymenophyllum, 326.
 Hypnomyces, North American, 14, 201.
Hypnum Brewerianum, 207; *colpophyllum*, var. **flagelliforme**, 207; *crispifolium*, 206; *Nuttallii*, 207; *pinnatifidum*, 207; *pygmaeum*, 206; *ramulosum*, 206.
Hypocrea, 202; *tuberiformis*, 256, 282.
Hypocrella tuberiformis, 284.
Hypomyces, 202.

I

Illinois, plants of, 347.
 Indiana Academy of Science, 36.
 Insects and flowers, 176; mutilation of flowers by, 312.
Iris heugona, 347.
 Isoetace, relationships of, 323.
Isopyrum biternatum, 285.

J

Jacksonia, 322.
Jambosa vulgaris, 139.
Janipha Manihot, 139.
Jeffersonia diphylla, 164.
 Journals: American Naturalist, 189; American Chemical Journal, 92; American Garden, 156; Atti Institut. Bot. Pavia, 60; Atti Soc. Ital. 156; Annales des Sci. Naturelles, 60, 298, 305, 308; Botan. Centralblatt, 58, 92, 93, 94; Botaniska Notiser, 156; Botanische Zeitung, 34, 158; Bulletin Soc. Bot. de France, 34; Bulletin Swiss Bot. Soc. 158; Bulletin Torrey Bot. Club, 35, 89, 91, 189, 294, 295; Centralblatt fuer Bakteriologie, 218; Cincinnati Soc. Nat. Hist. 295; Deutsche Bot. Monatsschrift, 59; Education, 120; Gardener's Chronicle, 59, 156; Garden and Forest, 34, 157; Grevillea, 157, 158; Journal of Botany, 53, 59, 91, 156, 188, 189, 242; Journal de Botanique, 34, 184; Le Botaniste, 155; Pharmaceutische Rundschau, 91; Pittonia, 89, 322; Pringsheim's Jahrbuecher fuer wiss. Botanik, 60; Proceedings, of the Boston Soc. Nat. Hist. 295; Proceedings of the Phila. Acad. Sci. 56; Revue general de Botanique, 155, 189, 306; Transactions Kans. Acad. Sci. 157, 186; Transactions of St. Louis Academy Sci. 92; Zoe, 90, 188.
 Jumping seeds of Mexico, 262.
Juncus pelocarpus, 128.
Jussiaea Peruviana var. **glaberrima**, 6; pilosa var. **robustior**, 6.

K

- Kalmia glauca*, 232; *latifolia*, 232.
 Kelsey, F. D., lectures, 217.
Keteleeria Fortunei, 274.
Koeleria cristata, 147.
Krauhnia, 322.

L

- Labiatae, key to N. A. genera 49.
Lactuca sativa, 208.
Laticiferous tissue, 298.
Laurinoxylon, 91.
 Leaf-structure of *Distichlis* and *Pleuropogon*, 275; of *Uniola*, 166, 219.
 Leaves of aquatic monocots, 305.
Lecithine, biological functions of, 260.
Ledum latifolium, 232.
Leguminosae, fixation of free nitrogen, 34.
Lentinus pholiotoides, 45.
Lepidodendra, 173.
Leskea Austini, 207.
Ligusticum scopulorum, 287.
Limnanthemum lacunosum, 230.
Linaria vulgaris, 157.
Listera cordata, 232.
Lithospermum arvense, 157.
 Liverworts, apical growth of, 141; relationships of, 323.
Lobelia cardinalis, 68; *Dortmanna*, 230; laxiflora, var. *insignis*, 13; spicata, 68; syphilitica, 68, 69.
Lonicera coerulescens, 230.
Luliu hypoleuca, 43, 44; *Piperi*, 43.
 Lycopodiaceae, 174; relationships of, 323.
Lycopodium inundatum, 230.
Lyginodendron Oldhamii, 174, 175.

M

- Macfadyena simplicifolia*, 198.
Macleania cordata, var. *linearifolia*, 12.
Maclura tinctoria, 137.
Macrosporium nigricantium, 62; parasiticum, 62; *puccinioides*, 47.
Media glomerata, 287; *sativa*, 287.
 Maine, flora of Orono, 228.
 Maize, sterility of, 58.
 Manchester group of botanists, 215.
Mangifera Indica, 138.
Maranta, 139.
Marchantia, 325; polymorpha, 142, 143.
 Meehan's Monthly, 157.
Melanthera hastata, 100; *oxylepis*, 100.
 Masson, Rosine, †, 218.
 Maximowicz, †, 155.
Melica multinervosa, 235.
Melocactus communis, 135.
 Melons, bacteria of, 303.
Melothria Donnell-Smithii, 9, var. *hirtellia*, 9, var. *rotundifolia*, 9; scabra, 9.
Menyanthes trifoliata, 230.
Mertzgeria, 324.
 Mexico, new plants of, 340.
Miconia Guatemalensis, 5; *Tuerckheimii*, 5.
Micromeria Douglasii, 287.
Microseris nutans, 287.
Microstylis, 322.
Mimosa affinis, 341.
 Missouri Botanic Garden scholarships, 350.
Mollisia cinerea, 45.
Monarda citriodora, 149.
Mouillia fructigena, 266.
Monochaetum diffusum, 4.

- Monocots, leaves of aquatic, 305.
 Monomialism, 215.
 Montana, new species of fungi, 45.
Montanoa ovalifolia, 99.
 Morong, Thos., appointment, 34.
Mortierella, 201.
 Mosses of N. E. America, 90; of North America, 205.
 Mounting plants, 57, 121.
 Movements, influence of gravity on, 343.
Mucor glomerulosus, 16.
 Mueller (Thurgau), H., appointment, 58.
Muhlenbergia Alamosae, 146.
Musa paradisiaca, 138; sapientum, 133.
Myrica cerifera, 91.
Myriocarpa longipes var. *Yzabalensis*, 13.
Myrodia Guatemalteca, 2; *funbris*, 2.
Myurella Careyana, 207.
 Myxomycetes, collecting and preserving, 263.

N

- Naegeli, K. von, †, 242.
Nardosmia palmata, 232.
Nebraska phanerogams, 188.
 Necrology: Hoffmann, 350; Masson, 218; Maximowicz, 155; Schomburgk, 217; Von Naegeli, 242.
 Nectria, a new, 257; *Vandae*, 257.
Neea psychotrioides, 199; *Wiesneri*, 199.
Nemopanthus Canadensis, 232.
Neopringlea, 294.
Nephradenia fruticosa, 196; *neriifolia*, 197.
Nephrodium ascendens, 14; *duale*, 14.
 New Zealand, plants of, 273.
 Nicotine, development of, 320.
 Nitrogen in leaves, relation to light, 321.
 Nomenclature, 151, 215, 268, 318.
Notholaena Nealleyi, var. *Mexicana*, 53.
Nuphar advena, 127, 231; *luteum*, 230.
Nymphaea reniformis, 127.

O

- Oats, bacterial disease of, 257.
Edocephalum albidum, 23; *album*, 17, 23; *alienum*, 17, 23; *aurantiacum*, 23; *badium*, 23; *byssinum*, 23; *crystallinum*, 24; *echinulatum*, 17, 26; *elegans*, 17; *fimetarium*, 24; *glomerulosum*, 15, 24; *hyalinum*, 24; *laticolor*, 24; *pallidum*, 17, 25; *pyriforme*, 24; *Preussii*, 24; *roseum*, 17, 24; *sulphureum*, 25; *verticillatum*, 18, 26.
Oligonema, 267.
 Ophioglossaceae, 41.
 Ophioglossum, 324.
Opuntia coccinellifera, 135; *Ficus-indica*, 135; *spinosissima*, 135; *Tuna*, 135.
 Orange tree, a remarkable, 311.
 Orcuttia, 145; *Greenii*, 146.
Oreopanax capitata, 195; *oligocarpum*, 194.
Orobanche racemosa, 262.
Oryzopsis Canadensis, 232.
Osmunda, 230, 325; apical growth in roots, 37; *cinnamomea*, 256; *Claytoniana*, 256.
 Ovules, 92.

P

- Pachystima Canbyi*, 90; in cultivation, 187.
 Palmer, Ed., collections of, 156, 242.
Panicum clandestinum, sterile flowers, 346.
Papaver nudicaule, 285.
 Parasites, classification of phanerogamous, 297.

- Parathesis melanosticta, 195; **pleurobotryosa**, 195; **sessilifolia**, 195.
 Parnassia palustris, 58; staminodes, 58.
 Parthenium Hysterophorus, 149.
 Passiflora **allantophylla**, 7; **clypeophylla**, 6; **dictophylla**, 8; **ornithoura**, 8; **transversa**, 7.
 Paulinia **scarlatina**, 193.
 Peach yellows, 322.
 Pear blight, 259.
 Peary, Lt. R. E., expedition of, 190.
 Peat bogs in N. B., 123.
 Pedicularis Canadensis, 231.
 Peltia, 324.
 Pentstemon **Haydeni**, 311.
 Peronospora Cubensis, 339; effusa, 339; gangliiformis, 208; parasitica, 340; Potentillae, 339.
 Peronosporae, 338.
 Persea gratissima, 138.
 Personals: Anderson (F.W.), 90; Arthur (J. C.), 274; Bailey (L.H.), 156, 274; Barnes (C.R.), 122; Berlese (A.N.), 188; Bolley (H.L.), 156; Brandza (M.), 155; Britton (Dr. & Mrs.), 188; Campbell (D.H.), 158; Cockerell (T.D.A.), 156; Cook (O.F.), 273; Cooke (M.C.), 156; Coulter (J.M.), 156, 217; Darwin (F.), 320; Davenport (G.E.), 320; Deane (W.), 156; Foerste (A.), 350; Goebel (K.), 297; Goodale (G.L.), 93, 188, 320; Halsted (B.D.), 273; Hill (E.J.), 34; Holm (Th.), 273; Kelsey (F.D.), 217; King (T.), 273; Knowlton (F.H.), 273; Koehne (E.), 189; Kohl (F.G.), 350; Krossnoff (A.), 273; Macfarlane (J.M.), 273; Macloskie (G.), 217; Masson (R.), 218; Maximowicz, 155; Meehan (T.), 157; Meyer (A.), 350; Morong (T.), 34; Mueller-Thurgau (H.), 58; Naegeli (K.), 242; Palmer (Ed.), 156, 242; Pringle (C.G.), 58; Robinson (B.L.), 188; Schimper (A.W.), 319; Schomburgk (R.), 217; Seaton (H.E.), 217; Setchell (W.A.), 188; Smith (E.F.), 322; Stafp (O.), 90; Sturgis (W.C.), 188; Thaxter (R.), 188; Toumey (J.W.), 242; Underwood (L.M.), 188, 189, 321; Wilson (W.P.), 58; Wortmann (J.), 58.
 Pestalozziella **Andersonii**, 48.
 Peucedanum bicolor, 286.
 Peziza 15; arenaria, 22.
 Phalaris arundinacea, 230.
 Phloem, relations of, 308.
 Phoma ilicina, 46.
 Phyllotaxy abnormal, 159.
 Phylogeny of Archegoniata, 257, 323.
 Phytophthora infestans, 338.
 Pimenta acris, 139; vulgaris, 139.
 Pinus **Donnell-Smithii**, 199, 319.
 Pisonia aculeata var. **macranthocarpa**, 198.
 Plantago lanceolata, 157.
 Plasmopara Geranii, 338; pygmaea, 338; viticola, 338.
 Pleuropogon Californicum, 279; refractum, 278; Sabinei, 280.
 Pogonia ophioglossoides, 230.
 Poinciana regia, 133.
 Poisoning plants, 189.
 Poisonous action of distilled water, 274.
 Polanisia, 322.
 Polygonum acre, cleistogamy of, 273, 314.
 Polyporus annosus, 15; officinale, 263.
 Pontederia cordata, 230.
 Postage on plants, 218.
 Potamogetonaceae, 305.
 Potamogeton crispus, 288; pectinatus, 127; perfoliatus var. 127; praelongus, 127; Robinsii, 127; Spirillus, 127, 128.
 Potentilla dissecta, 3; **Donnell-Smithii**, 3; Ehrenbergiana, 3; palustris, 230; Richardii, 3; tridentata, 229.
 Pringle's collections, 58.
 Prizes, botanical, 321.
 Prothallium of Osmunda, 256.
 Protoplasm, structure of living, 306.
 Prunus Pumila, 229.
 Psidium Guava, 138.
 Psilostrophe, 322.
 Psychotria Martiana, 12.
 Pteridophytes, relationships of, 323.
 Puccinia Caricis-strictae, 226; **Cyperii**, 226; **medusaeoides**, 226; ornata, 225; Stipae, synonymy of, 225.
 Pyrrhoppus, 322.

Q

Quercus heterophylla, 263.

R

- Rachiopteris, 172; aspera, 174; Grayi, 173; hirsuta, 173.
 Ranunculus Flammula, 129, 130, 233; glaberrimus, 346; hederaceus, 285; hispidus, 285; lacustris, propagation of, 115; Macauleyi, 346.
 Raphides, cause of acidity, 267.
 Ravenelia **Cassiaeicola**, 313; glandulaeformis, 314.
 Respiration, simultaneous evolution of O and CO₂, 273.
 Reviews: *Aveling*: Introduction to the study of botany, 211; *Bailey*: The nursery book, 185; *Bailton*: Histoire des plantes, 183; *Bergen*: Glimpses at the plant world, 317; *Brotherus & Selan*: Musci Lapponiae Kolaenses, 271; *Campbell*: Isoetes echinospora, 349; *Coulter*: Flora of Texas, 268; *Drude*: Handbuch der geographische Botanik, 153; *Eggert*: Catalogue of St. Louis plants, 350; *Ellis & Everhart*: N. American Pyrenomycetes, 121; *Engelmann*: Botanisches Adressbuch, 217, 240; *Farlow & Seymour*: Host Index, 271; *Gray*: Revised manual, 90, 211; Forest trees of North America, 240; *Greene*: Flora Franciscana, 185; *Griffiths*: Diseases of crops, 120; *Hackel*: Grasses of dry climates, 87; *Higley & Raddin*: Flora of Cook county, Ill., 271; *Hillhouse*: Practical Botany, 210; *Hitchcock*: Catalogue of plants of Ames, Iowa, 88; *Holm*: Germination of some N. A. plants, 185; Underground structures of plants, 89; Vitality of annual plants, 350; *Jesup*: Flowering plants and higher cryptogams of Hanover, N. H., 186; *Kihlman*: Pflanzenbiologische Studien aus Russisch Lappland, 153; *Lazenby & Werner*: Catalogue of Ohio plants, 56; *Macoun*: Catalogue of Canadian plants, 32; *MacLeod*: Fertilization of flowers, 57; *Mix*: On a Kephir-like yeast, 270; *Pearson*: Canadian Hepaticae, 32; *Penhallow*: Botanical collector's guide, 317; *Richards*: Structure and development of Choreococcolax, 270; *Richter*: Plantae Europaeae, 152; *Robinson*: Contributions from Gray Herbarium, 294; *Rose*: Contributions from National Herbarium, 293; *Sacardo*: Sylloge Fungorum, 316; *Sargent*: Silva of N. A., 30; *Sauvageau*: Sur les feuilles de quelques monocotyledons aquatiques, 242,

- 305; *Schulz*: Adaptation to pollination.
 55; *Scribner*: Fungus diseases of the grape and other plants, 184; Mexican grasses, 294; *Setchell*: Notes on the species of *Doassansia*, 270; *Sacchorhiza* dermatodea, 349; *Smith*: Enumeratio Plantarum Guatemalensis, 185; *Strasburger*: (see *Hillhouse*); *Thaxter*: North American Laboulbeniaceae, 120; Report of Conn. experiment station, 155; *Trelease*: Species of *Epilobium*, 182; The Missouri Botanical Garden, 56; *Von Tubeuf*: Samen, Frucht und Keimlinge der Kulturpflanzen, 242; *Watson*: Contributions to North American botany, 294; *Warming*: Podostemaceae, 238; *Weed*: Plants as rock-makers, 31; *Wooll*: Plants of Sidney, 295; *Zopf*: Pilze, 29.
- Rhachiopteris, 172.
 Rhacopteris, 172.
 Rhamnus lanceolatus, 165.
 Rhizogonium lacunosum, 173; reticulatum, 173; verticillatum, 173.
 Rhizophora Mangle, 135.
 Rhodora Canadensis, 232.
 Rhopalomyces candidus, 19, 25; *cervinus*, 19, 20, 25; *Cucurbitarium*, 20, 25; *elegans*, 20, 21, 25; *nigripes*, 22, 25; *pallidus*, 19, 20; *strangulatus*, 21, 25.
 Riccia, 143.
 Riddellia, 322.
 Robinia Pseudacacia, utilizing free nitrogen, 58.
 Robinson, B. L., resignation, 188.
 Roell's collections, 59.
 Rollinia Sieberi, 137.
 Rubus Chamaemorus, 126; *occidentalis* var. *grandiflora*, 3.
 Rumex crispus, 157.
- S
- Sagittaria heterophylla, 128.
 St. Croix region, flora of, 108, 126.
 Salsola, 262.
 Sanguinaria Canadensis, 159.
 Salix Austinae, 106; *Barclayi*, 107; *Breweri*, 106; *Brownii* var. *petraea*, 107; *Californica*, 106, 107; *cordata*, 104, 107; *Coulteri*, 105; *Drummondiana*, 106; *flavescens*, 105; *Geyeriana*, 105; *glauca*, 107; *Hookeriana*, 104, 108; *Humboldtiana*, 102, vars. 102, 103; *laevigata*, 103; *lasianдра*, 103; *lasiolepis*, 104, 106; *Lenmonii*, 106; *longifolia*, 104; *lucida*, 103; *macrocarpa*, 105; *Monica*, 107; *nigra*, 102; *pellita*, 106; *phlebophylla*, 107; *reticulata*, 108; *rostrata*, 108; *Scouleriana*, 105; *sessilifolia*, 104; *Sitchensis*, 105, 106; *tenera*, 107; *vestita*, 108.
 Sapota achras, 138.
 Saprolegnia, 72, 73.
 Sarcodes sanguinea, 54.
 Saxifragaceae, anatomical characters, 58.
 Saxifraga Virginienensis, 231.
 Schinzia Alni, 262.
 Schomburgk, R., †, 217.
 Scirpus debilis, 128.
 Sclerospora graminicola, 338.
 Seaton, H. E., collections in Mexico, 217.
 Secchium edule, 139.
 Selaginella rupestris, 112.
 Senecio Aschenbornianus, 101; *Donnell-Smithii*, 100; *Candelariae*, 102; *Cobanensis*, 101; *Ghiesbreghtii*, 101, var. *pau-ciflorus*, 101; *grandifolius*, 101; *Kermesinus*, 102.

- Serjania acuta*, 192; *Cambessedeanae*, 193; *psilophylla*, 191; *rhachiptera*, 192; *rufisepala*, 191; *sordida*, 191.
 Setchell, W. A., appointment, 188.
 Sicyos Deppei, 12; *longisepalus*, 11.
 Sidalcea malvaeflora, 286.
 Sigmoidomyces dispiroides, 22, 26.
 Silene Grayi, 44; *Suksdorfii*, 44; *Macounii*, 286.
 Silphium laciniatum, 114.
 Sitilias 322.
 Sleep-movements, influence of gravity on, 343.
 Smilacina trifolia, 230.
 Solanaceae from Guatemala, 144.
 Solanum Donnell-Smithii, 144; *olivaeforme*, 13; *rostratum*, 149.
 Solenophora erubescens, 197.
 Spartina cynosuroides, 230; *densiflora*, 292; *Gouini*, 292; *gracilis*, 292; *junciformis*, 292.
 Spathyema, 322.
 Spectroscope in botanical studies, 256.
 Spermatophytic flower, terminology, 178.
 Sphaerotheca lanestris, 297.
 Sphagnum, 324.
 Sphenophyllum Stephanense, 175.
 Spilanthes Beccabunga, 100; *repens*, 100.
 Spiranthes cernua, 232; *gracilis*, 232.
 Spirogyra, conjugation, 35.
 Spondias lutea, 194; *Radikoferi*, 194.
 Sporobolus pilosus, 26.
 Sporodesmium sorisporioides, 47.
 Stapf, Otto, appointment, 90.
 Stellaria longipes, 286.
 Stevia compacta, 95.
 Struthiopteris Germanica, 233.
 Sturgis, W. C., appointment, 188.
 Sugar in fungi, 34.
 Swietenia Mahogoni, 137.
 Symplocarpus, 322; *foetidus*, 230, 164.
 Syncephalis, 201.
 Systematic botany, future of, 243.

T

- Talinum patens, 112; *teretifolium*, 112.
 Tamarindus Indica, 140.
 Taphrina Pruni, 266.
 Technique, notes on, 71.
 Tecoma radicans, mutilation of flowers, 314.
 Tellima nudicaulis, 237; *pentandra*, 237; *Wil-hamsii*, 237.
 Terminalia catappa, 133.
 Tetragonotheca Guatemalensis, 99; *Texana*, 99.
 Thalictrum dioicum, 232; *Fendleri*, 285.
 Thaspium aureum, 231.
 Thaxter, Roland, appointment, 188.
 Theobroma cacao, 140.
 Thrinax argentea, 143.
 Thysanocarpus pusillus, 286.
 Tibouchina Bourgeana, 4.
 Timothy, proliferation of, 346.
 Tithonia tubaeformis, 100.
 Tobacco, spot disease of, 321.
 Torsions, DeVries on, 345.
 Toumey, J. W., appointment, 242.
 Transpiration, 260; acceleration of, 272; influence of anaesthetics, 28; influence on form, 343.
 Trifolium involucreatum, 286; *microcephalum*, 286.
 Trillium recurvatum, 231; *sesile*, 163.
 Triosteum perfoliatum, 65.
 Triuris brevistylis, 14; *diaphana*, 14.

Troximon, 322.

Tubercles on roots of beans, 158; of *Ceanothus*, 262.

U

Ulodendron, 173.

Underwood, L. M., resignation and appointment, 188; collections, 189.

Uniola, anatomical structure of leaves, 219, 168, 275.

Uredineae, 225.

Uredo Fici, 289.

Uromyces caryophyllinus, 321; Caricis, 226; *Gentianae*, 227; perigynius, 226; Trifolii, 290.

V

Vaccinium Canadense, 232.

Vacuoles, origin of, 93.

Veratrum viride, 232.

Verbascum Blattaria, 157.

Vernonia leiocarpa, 95; Salviniae var. *canescens*, 95; triflosculosa, 95.

Veronica Buxbaumii, 232.

Viola pubescens, 232.

Volutella *occidentalis*, 46; var. *minor*, 47.

W

Walnuts, English, 265.

Water-pore, abnormal, 235.

Webera nutans, 206.

West Indies, visit to, 130.

Wheat, artificial pollination of, 266.

Willardia, 294.

Willows, notes on N. Am., 102.

Wilson, W. P., election, 58.

Wistaria, 322.

Woodsia Ilvensis, 111; obtusa, 111.

Z

Zea canina, 294.

Zeitschrift fuer Pflanzenkrankheiten, 218.

Zexmenia *dulcis*, 99; scandens, 99; trachylepis, 100.

Zizia cordata, 287.

Zygopteris, 172.

INDEX TO AUTHORS.

Anderson, F. W., 113; (Ellis and) 45.

Andrews, Wm. E., 33, 347.

Arthur, J. C., 215, 225.

Atkinson, Geo. F., 61, 282, 313.

Bailey, L. H., 215.

Bailey, W. W., 311.

Barnes, C. R., 205, 235.

Barton, B. W., 150.

Beal, W. J., 57.

Bebb, M. S., 102, 121.

Blanchard, F., 241.

Bowers, Homer, 73.

Campbell, D. H., 37, 323.

Canby, Wm. M., 236.

Coulter, John M., 95, 144, 242; (and Rose) 27, 180.

Davenport, Geo. E., 53.

Davis, Bradley M., 149.

Davis, Chas. E., 115.

Dewey, L. H., 187.

Ellis, J. B., (& Anderson), 45.

Evans, W. H., 234.

Farlow, W. G., 179.

Foerste, Aug. F., 159.

Ganong, W. F., 123.

Halsted, B. D., 288, 303, 338.

Hill, E. J., 108, 126, 299.

Hitchcock, A. S., 130.

Holm, Theo., 87, 166, 219, 242, 274, 275.

Humphrey, J. E., 71.

Jepson, W. L., 297.

Kearney, T. H., 314.

MacMillan, Conway, 28, 149, 178, 272, 305, 308, 343.

Macoun, James M., 285.

Meehan, Thomas, 54, 176, 312.

Mottier, David M., 141.

Piper, Chas. V., 296.

Rand, Edward L., 318.

Riley, C. V., 334.

Robertson, Charles, 65.

Robinson, B. L., 43, 82, 114, 343.

Rose, J. N., 113. (Coulter &), 27, 180.

Rush, W. H., 208.

Saccardo, P. A., 153.

Schneck, Jacob, 312, 314.

Scribner, F. Lamson, 228.

Selby, Aug. D., 90, 148.

Smith, John Donnell, 1, 191.

Stokes, Alfred C., 49.
Swezey, Goodwin D., 147.

Thaxter, Roland, 14, 201.
Toumey, J. W., 236, 346.

Underwood, L. M., 268.

Vasey, George, 26, 145, 235, 292.

Watson, Sereno, 267, 311, 345.
White David, 172.
Williams, Thos. A., 346.
Wittrock, Veit, 85.
Woolson, Geo. C., 187.

ERRATA.

- p. 22, line 7, for *hyhæ* read *hyphæ*.
p. 26, line 2, for inside read method.
p. 26, line 9, for *Sigmiodeomyces* read *Sigmoideomyces*.
p. 26, line 11, for when read where.
p. 62, line 3, for *Colletotrichium* read *Colletotrichum*.
p. 76, line 9 from bottom, for inclines read inclined.
p. 77, last line, *dele* not.
p. 100, line 12, for *oxylepsis* read *oxylepis*.
p. 107, line 10, insert S. after 17.
p. 137, line 3 from bottom, for sap read sop.
p. 138, line 3, for sap read sop.
p. 138, line 20, for savory read curry.
p. 139, line 12, for mashed read washed.
p. 139, line 4 from bottom, for *ocara* read *ochra*.
p. 139, footnote 41, for *Lechium* read *Sechium*.
p. 140, line 2, for pie read pea.
p. 140, line 5, for roots read nuts.
p. 140, line 15, for *Lucca* read *Lucea*.
p. 147, line 18 from bottom, *dele* n. sp.—The species was previously described in the *West American Scientist*.
p. 149, line 18 from bottom, for *sasisfactory* read *satisfactory*.
p. 188, line 22, insert Station after Experiment.
p. 199, line 16 from bottom, for *Pirus* read *Pinus*.
p. 210, line 13, insert translation of before Strasburger's.
p. 213, make $\begin{cases} \text{syncarpous} \\ \text{apocarpous} \end{cases}$ follow compound.
p. 240, transpose the two footnotes.
p. 273, lines 6 and 9 from bottom, for King read Kirk.
p. 273, line 6 from bottom, for \$4.50 read 45 sh.
p. 289, line 7, for *gossypii* read *Gossypii*.